Anaesthesia

Journal of the Association of Anaesthetists of Great Britain and Ireland

Volume 52, 1997

b
Blackwell Science

Anaesthesia, 1997, **52**, pages i–xii

Contents – Volume 52

Number 1, January 1997

Editorial

1 Academic anaesthetists – an endagered species *S. Feldman*

Main Article

3 The effect of the National Confidential Enquiry into Perioperative Deaths on clinical practice: report of a postal survey of a sample of consultant anaesthetists *M. C. Derrington and S. Gallimore*

9 Why do patients die on general wards after discharge from intensive care units? *C. B. Wallis, H. T. O. Davies and A. J. Sheanen*

15 Short Form 36 in the intensive care unit: assessment of acceptability, reliability and validity of the questionnaire *P. S. Chrispin, H. Scrotton, J. Rogers, D. Lloyd and S. A. Ridley*

24 Accidental bronchial intubation: an analysis of AIMS incident reports from 1988 to 1994 inclusive *É. P. McCoy, W. J. Russell and R. K. Webb*

32 The minimum effective doses of pethidine and doxapram in the treatment of post-anaesthetic shivering *I. J. Wrench, P. Singh, A. R. Dennis, R. P. Mahajan and A. W. A. Crossley*

37 Prediction of infusion rates of rocuronium using the bolus test dose technique *M. J. Harrison*

41 Comparison of computer-controlled administration of propofol with two manually controlled infusion techniques *M. Stuyrs, L. Versichelen, O. Thas, L. Herregods and G. Rolly*

51 Long-term outcome after percutaneous dilational tracheostomy: endoscopic and spirometry findings *R. C. Law, A. S. Carney and A. R. Manara*

Apparatus

57 An alternative method of nitrous oxide delivery into a minimal-flow circle breathing system *M. R. Nel, J. D. Watts and G. C. Lockwood*

Case report

62 Epidural blood patch for atypical headache following obstetric epidural analgesia *S. M. Yentis and K. Haire*

65 Carbon dioxide embolism during laser endometrial ablation *M. Kelly, H. M. L. Mathews and P. Weir*

67 Anaesthetic management of childhood thyrotoxicosis and the use of esmolol *J. D. Knighton and M. M. Crosse*

70 Tracheal dilatation complicating prolonged tracheal intubation *A. Rhodes, F. J. Lamb, R. M. Grounds and E. D. Bennett*

71 The anaesthetist and the antiphospholipid syndrome *R. Madan, M. Khoursheed, R. Kukla, M. Al-Mazidi and A. Behbehani*

Forum

75 The effect of laryngeal mask airway insertion on the position of the internal jugular vein *N. Nandwani, M. C. Fairfield, K. Krarup and J. Thompson*

77 Music in theatre: not so harmonious. A survey of attitudes to music played in the operating theatre *C. R. E. Hawksworth, A. J. Asbury and K. Millar*

81 **Correspondence**

93 **Book reviews**

94 **Deaths of members reported to Council**

Number 2, February 1997

Editorial

99 Maternal mortality – is it still relevant? *M. Harmer*

Main articles

101 Learning curves for fibreoptic nasotracheal intubation when using the endoscopic video camera *J. E. Smith, A. P. F. Jackson, J. Hurdley and P. J. M. Clifton*

107 Predictors of postoperative myocardial ischaemia. The role of intercurrent arterial hypertension and other cardiovascular risk factors *S. J. Howell, A. E. Hemming, K. G. Allman, L. Glover, J. W. Sear and P. Foëx*

112 Fentanyl and the interleukin-6 response to surgery *N. M. Taylor, S. Lacoumenta and G. M. Hall*

116 The contribution of extracranial blood oxygenation on near-infrared spectroscopy during carotid thrombendarterectomy *G. Grubhofer, A. Lassnigg, F. Manlik, E. Marx, W. Trubel and M. Hiesmayr*

121 Serum glutathione S-transferase concentrations and creatinine clearance after sevoflurane anaesthesia *J. R. Darling, J. M. Murray, D. R. McBride, T. R. Trinick and J. P. H. Fee*

Apparatus

127 Accuracy of pulse oximetry in patients with low systemic vascular resistance *C. Secker and P. Spiers*

© 1997 Blackwell Science Ltd

131 Effect of the size of a tracheal tube and the efficacy of the use of the laryngeal mask for fibrescope-aided tracheal intubation *K. Koga, T. Asai, I. P. Latto and R. S. Vaughan*
136 A comparison of the Invos 3100 and the Critikon 2020 near-infrared spectrophotometers as monitors of cerebral oxygenation *E. G. McKeating, J. R. Monjardino, D. F. Signorini, M. J. Souter and P. J. D. Andrews*
141 A dual technique for identification of the epidural space *S. Jacob and E. Tierney*
144 The effect of a heat and moisture exchanger on humidity in a low-flow anaesthesia system *B.-Å. Henriksson, J. Sundling and A. Hellman*

Case reports
150 Serious spinal cord injury due to haematomyelia caused by spinal anaesthesia in a patient treated with low-dose heparin *J. D. Greaves*
154 An unusual complication of emergency tracheal intubation *G. C. Ooi, M. G. Irwin, L. K. Lam and S. W. K. Cheng*
158 Central airway compression. Anaesthetic and intensive care consequences *C. C. McMahon, L. Rainey, B. Fulton and I. D. Conacher*
163 An epidural abscess due to resistant *Staphylococcus aureus* following epidural catheterisation *M. Yuste, J. Canet, M. Garcia, M. A. Gil and F. Vidal*
165 Plasmapheresis in neuroleptic malignant syndrome *L. Gaitini, M. Fradis, S. Vaida, S. Krimerman and A. Beny*

Forum
169 Low-dose aspirin and intracranial surgery. A survey of the opinions of consultant neuroanaesthetists in the UK *D. N. James, J. R. Fernandes, I. Calder and M. Smith*
173 Isoflurane for removal of chest drains after cardiac surgery *F. M. M. Bryden, H. McFarlane, M. E. Tunstall and J. A. S. Ross*
175 End-tidal oxygraphy and safe duration of apnoea in young adults and elderly patients *P. K. Bhatia, S. C. Bhandari, K. L. Tulsiani and Y. Kumar*

179 **Correspondence**

192 **Safety notices**

192 **Erratum**

Number 3, March 1997

Editorial
193 Managing the dysfunctional doctor *D. J. Hatch*

Main articles
195 Changes in quality of life after intensive care: comparison with normal data *S. A. Ridley, P. S. Chrispin, H. Scotton, J. Rogers and D. Lloyd*
203 Can ASA grade or Goldman's cardiac risk index predict peri-operative mortality? A study of 16 227 patients *G. Prause, B. Ratzenhofer-Comenda, G. Pierer, F. Smolle-Jüttner, H. Glanzer and J. Smolle*
207 Continuous versus intermittent thermodilution cardiac output measurement during orthotopic liver transplantation *B. W Böttiger, B. Sinner, J. Motsch, A. Bach, H. Bauer and E. Martin*
215 Occupational exposure to sevoflurane, halothane and nitrous oxide during paediatric anaesthesia. Waste gas exposure during paediatric anaesthesia *K. Hoerauf, W. Funk, M. Harth and J. Hobbhahn*
220 Prediction of a small internal jugular vein by external jugular vein diameter *B. R. Stickle and H. McFarlane*
223 Neurotoxicity after spinal anaesthesia induced by serial intrathecal injections of magnesium sulphate. An experimental study in a rat model *M. Chanimov, M. L. Cohen, Y. Grinspun, M. Herbert, R. Reif, I. Kaufman and M. Bahar*

Apparatus
229 Flow dynamics through spinal needles *M. G. Serpell and W. M. Gray*
237 A non-rebreathing coaxial anaesthesia system: dependence of end-tidal gas concentrations on fresh gas flow and tidal volume *W. A. Tweed*
242 SCOTI vs. Wee. An assessment of two oesophageal intubation detection devices *D. J. Lockey and W. Woodward*

Review article
244 Cholinesterase. Its significance in anaesthetic practice *L. Davis, J. J. Britten and M. Morgan*

Case reports
261 Delayed upper airway obstruction. A life-threatening complication of Dettol poisoning *G. M. Joynt, K. M. Ho and C. D. Gomersall*
263 Interscalene patient-controlled analgesia *M. A. Lucas and A. W. Harrop-Griffiths*

Forum
265 A prospective two-month audit of the lack of provision of a high-dependency unit and its impact on intensive care *D. W. Ryan, P. J. M. Bayly, O. G. W. Weldon and M. Jingree*
270 The effect of subhypnotic doses of propofol on the incidence of pruritus after intrathecal morphine for Caesarean section *J. P. Warwick, C. F. Kearns and W. E. Scott*

276 **Correspondence**

© 1997 Blackwell Science Ltd

Number 4, April 1997

Editorial

291 Remifentanil *M. A. Smith and M. Morgan*

Main articles

294 Thoracic epidural analgesia started after cardiopulmonary bypass. Adrenergic, cardiovascular and respiratory sequelae *W. J. Fawcett, R. E. Edwards, A. C. Quinn, I. A. MacDonald and G. M. Hall*

300 Postoperative 'minor' complications. Comparison between men and women *P. S. Myles, J. O. Hunt and J. T. Moloney*

307 A comparison of remifentanil and alfentanil in patients undergoing major abdominal surgery *J. Schüttler, S. Albrecht, H. Breivik, S. Osnes, C. Prys-Roberts, K. Holder, M. Chauvin, J. Viby-Mogensen, T. Mogensen, I. Gustafson, L. Lof, D. Noronha and A. J. T Kirkham*

318 Morphine blood concentrations in elderly postoperative patients following administration via an indwelling subcutaneous cannula *T. J. Semple, R. N. Upton, P. E. Macintyre, W. B. Runciman and L. E. Mather*

324 Cardiopulmonary resuscitation: a retrospective review *R. Denton and A. N. Thomas*

328 Guidelines and cardiac anaesthetists. Not in my backyard *R. P. Alston*

332 The effects of single-handed and bimanual cricoid pressure on the view at laryngoscopy *S. M. Yentis*

336 Tracheal intubation conditions after one minute: rocuronium and vecuronium, alone and in combination *A. J. England, M. P. Margarson and S. A. Feldman*

341 Effects of propofol emulsion and thiopentone on T helper cell type-1/type-2 balance *in vitro M. Salo, C-O. Pirttikangas and K. Pulkki*

Apparatus

345 A comparison of acceleromyography and mechanomyography for determination of the dose–response curve of rocuronium in children *A. McCluskey, G. Meakin, J. M. Hopkinson and R. D. Baker*

350 A new combined spinal–epidural apparatus: measurement of the distance to the epidural and subarachnoid spaces *V. L. H. Hoffman, M. P. Vercauteren, P. W. Buczkowski and G. L. J. Vanspringel*

Case reports

356 Near-infrared spectroscopy changes during hypothermic circulatory arrest with retrograde cerebral perfusion *C. D. Rigg and T. H. Clutton-Brock*

359 Deliberate self-poisoning with dapsone. A case report and summary of relevant pharmacology and treatment *A. J. Ferguson and G. G. Lavery*

Forum

364 New agents, the circle system and short procedures *M. R. Nel, R. Ooi, D. J. H. Lee and N. Soni*

367 Current practice in the pre-operative assessment of patients for elective repair of abdominal aortic aneurysm. A survey of UK hospitals *M. D. Pullman and N. D. Edwards*

373 Intrathecal morphine for Caesarean section: an assessment of pain relief, satisfaction and side-effects *M. Swart, J. Sewell and D. Thomas*

377 The effect of clonidine on sevoflurane requirements for anaesthesia and hypnosis *T. Katoh and K. Ikeda*

382 **Correspondence**

395 **Book reviews**

397 **Safety notices**

397 **Deaths of members reported to Council**

Number 5, May 1997

Editorials

399 On the dangers of monitoring. Or, *Primum non nocere* revisited *D. A. Saunders*

401 Patient-controlled analgesia – who benefits? *G. M. Hall and P. Salmon*

Main articles

403 Critical incident reporting in the intensive care unit *T. A. Buckley, T. G. Short, Y. M. Rowbottom and T. E. Oh*

410 Single-breath inhalation induction of sevoflurane anaesthesia with and without nitrous oxide: a feasibility study in adults and comparison with an intravenous bolus of propofol *J. E. Hall, J. I. M. Stewart and M. Harmer*

416 A comparison of midazolam with trimeprazine as an oral premedicant for children *V. Mitchell, C. Grange, A. Black and J. Train*

422 Is Hartmann's the solution? *S. A. White and D. R. Goldhill*

428 Dose–response relationship and effective time to satisfactory intubation conditions after rocuronium in children *J. M. Hopkinson, G. Meakin, A. McCluskey and R. D. Baker*

433 Reduced cerebral vasomotor reactivity as an indicator of postoperative confusion *C. Kessler, H. M. Junge, M. L. Walker, R. Busack, D. M. Albrecht and K. v. Ackeren*

438 Public perceptions of postoperative pain and its relief *N. B. Scott and M. Hodson*

© 1997 Blackwell Science Ltd

443 A survey of postoperative nausea and vomiting *M. Koivuranta, E. Läärä, L. Snåre and S. Alahuhta*

Apparatus

450 Comparison of the Nellcor N-200 and N-3000 pulse oximeters during simulated postoperative activities *C. Lie, H. Kehlet and J. Rosenberg*

453 An evaluation of the SCOTI device *R. P. Haridas, N. J. Chesshire and D. A. Rocke*

457 Evaluation of thoracic epidural catheter position and migration using radio-opaque catheters *G. W. H. Hendriks, M. A. W. Hasenbos, M. J. M. Gielen, J. v. Egmond and J. O. Barentsz*

Review article

460 Patients' memories of events during general anaesthesia *A. R. Bailey and J. G. Jones*

Special communication

477 Anaesthetic disasters: handling the aftermath *A. R. Aitkenhead*

Case reports

483 Pain relief with oral cannabinoids in familial Mediterranean fever *A. Holdcroft, M. Smith, A. Jacklin, H. Hodgson, B. Smith, M. Newton and F. Evans*

486 Uterine rupture and epidural analgesia during trial of labour *S. J. Rowbottom, L. A. H. Critchley and T. Gin*

Forum

489 Haemodynamic effects of intravenous nimodipine following aneurysmal subarachnoid haemorrhage: implications for monitoring *D. Radhakrishnan and D. K. Menon*

492 Oxygenation of patients undergoing ophthalmic surgery under local anaesthesia *J. E. Risdall and I. F. Geraghty*

496 Efficacy of ondansetron and metoclopramide for preventing postoperative emesis following strabismus surgery in children *D. Shende and N. G. Mandal*

501 **Correspondence**

512 **Safety notice**

512 **Errata**

Number 6, June 1997

Editorials

513 Paediatric anaesthesia – who should do it? The view from the specialist hospital *R. McNicol*

515 Paediatric anaesthesia – who should do it? The view from the district general hospital *A.-M. Rollin*

Main articles

517 Neonatal welfare and placental transfer of fentanyl and bupivacaine during ambulatory combined spinal epidural analgesia for labour *R. Fernando, E. Bonello, P. Gill, J. Urquhart, F. Reynolds and B. Morgan*

525 Patient-maintained propofol sedation. Assessment of a target-controlled infusion system *M. G. Irwin, N. Thompson and G. N. C. Kenny*

531 Heterogeneity in intensive care units: fact or fiction? *S. Ridley, K. Burchett, K. Gunning, A. Burns, A. Kong, M. Wright, P. Hunt and S. Ross*

538 Factors affecting neostigmine reversal of vecuronium block during sevoflurane anaesthesia *T. Morita, D. Kurosaki, H. Tsukagoshi, H. Shimada, H. Sato and F. Goto*

544 Propofol anaesthesia and vomiting after myringoplasty in children *W. Habre and C. Sims*

547 Postoperative analgesic effect of intrathecal neostigmine and its influence on spinal anaesthesia *J. G. Klamt, A. Slullitel, L. V. Garcia and W. A. Prado*

Apparatus

552 The use of paraglossal straight blade laryngoscopy in difficult tracheal intubation *J. J. Henderson*

561 Nitric oxide: description of a pipeline delivery system *S. M. Whiteley, A. T. Cohen, D. Laycock, W. M. Arrowsmith and P. D. Henrys*

567 Leakage of fluid around low-pressure tracheal tube cuffs *M. Oikkonen and U. Aromaa*

Review article

570 Latex allergy: an emerging clinical and occupational health problem *P. C. A. Kam, M. S. M. Lee and J. F. Thompson*

Case reports

576 Epidural abscess following epidural steroid and local anaesthetic injection *J. W. Knight, J. J. Cordingley and M. G. A. Palazzo*

578 Caesarean section in a parturient with respiratory failure caused by cystic fibrosis *D. Bose, S. M. Yentis and N. J. Fauvel*

582 Complete airway obstruction during awake fibreoptic intubation *I. C. Shaw, E. A. Welchew, B. J. Harrison and S. Michael*

Forum

586 The effect of single-handed cricoid pressure on neck movement after applying manual in-line stabilisation *D. A. Gabbott*

589 Body position and late postoperative nocturnal hypoxaemia *S. Rosenberg-Adamsen, K. Stausholm, L. Edvardsen, M. Zwarts, H. Kehlet and J. Rosenberg*

592 Laryngeal mask lubrication. A comparative study of saline versus 2% lignocaine gel with cuff pressure control *C. Keller, H. J. Sparr and J. R. Brimacombe*

© 1997 Blackwell Science Ltd

597 The effect of glossopharyngeal nerve block on pain after elective adult tonsillectomy and uvulopalatoplasty *K. R. Bell, A. M. Cyna, K. M. Lawler, C. Sinclair, P. J. Kelly, F. Millar and L. M. Flood*

603 **Correspondence**

Number 7, July 1997

Editorial

617 Airway management in the recovery room *R. S. Vaughan*

Main articles

619 Gastric tonometry and prediction of outcome in the critically ill. Arterial to intramucosal pH gradient and carbon dioxide gradient *C. D. Gomersall, G. M. Joynt, K. M. Ho, R. J. Young, T. A. Buckley and T. E. Oh*

624 The peri-operative use of the oesophageal Doppler monitor in patients undergoing coronary artery revascularisation. A comparison with the continuous cardiac output monitor *B. Krishnamurthy, T. J. McMurray and E. McClean*

630 A noninvasive method for evaluating the effect of thoracotomy on shunt and ventilation perfusion inequality *L. de Gray, E. M. Rush and J. G. Jones*

636 The loss of sevoflurane from a closed breathing system *D. A. Vagts and G. G. Lockwood*

640 Are coagulation studies on blood sampled from arterial lines valid? *M. J. Heap, S. A. Ridley, K. Hodson and F. J. Martos*

646 End-tidal carbon dioxide measurement and breathing system filters *J. G. Hardman, J. Curran and R. P. Mahajan*

649 Analgesia after day case laparoscopic sterilisation. A comparison of tramadol with paracetamol/dextropropoxyphene and paracetamol/codeine combinations *I. M. Crighton, G. J. Hobbs and I. J. Wrench*

653 The effect of the lateral decibitus position on vagal tone *G.-Y. Chen and C.-D. Kuo*

658 Acupuncture in the prevention of postoperative nausea and vomiting *M. Al-Sadi, B. Newman and S. A. Julious*

Apparatus

622 Reshaping the Macintosh blade using biomechanical modelling. A prospective comparative study in patients *M. J. L. Bucx, C. J. Snijders, M. H. van der Vegt, J. D. Holstein and T. Stijnen*

668 The Oxyvent. An anaesthetic machine designed to be used in developing countries and difficult situations *R. J. Eltringham and A. Varvinski*

Review article

673 Peri-operative use of nonsteroidal anti-inflammatory drugs in children: analgesic efficacy and bleeding *J. Rømsing and S. Walther-Larsen*

Case reports

684 Spontaneous remission of left bundle branch block during anaesthesia *E. J. Garcia, C. M. Kumar, P. G. P. Lawler and P. T. F. Newnam*

688 Postdural puncture symptoms in a child *J. McHale and F. C. O'Donovan*

690 An unusual presentation in a patient with metachromatic leukodystrophy *A. D. Malde, L. D. Naik, S. H. Pantvaidya and S. N. Oak*

Forum

695 Comparison of oral ondansetron, metoclopramide and placebo as premedicants to reduce nausea and vomiting after major surgery *R. Alexander and M. Fennelly*

698 Co-induction and laryngeal mask insertion. A comparison of thiopentone versus propofol *I. K. Driver, C. Wilson, S. Wiltshire, P. Mills and R. Howard-Griffin*

701 Choice of tracheal tube size for children: finger size or age-related formula? *A. A. van den Berg and T. Mphanza*

704 **Correspondence**

721 **Hazard notices**

721 **Safety notice**

722 **Deaths of members reported to Council**

Number 8, August 1997

Editorial

723 Meta-analysis *N. W. Goodman*

Main articles

726 Gastric intramucosal pH and blood lactate in severe sepsis *G. M. Joynt, J. Lipman, C. D. Gomersall, I. Tan and J. Scribante*

733 Detection of accidental oesophageal intubation. Role of the anaesthetic assistant *A. E. Cameron, R. A. Hyde, P. Sivaligam and A. J. Asbury*

736 Effects of a single pre-operative dexmedetomidine dose on isoflurane requirements and peri-operative haemodynamic stability *C. J. Lawrence and S. De Lange*

745 Audit of opioid prescribing: the effect of hospital guidelines *C. A. Humphries, D. J. Counsell, R. C. Pediani and S. L. Close*

© 1997 Blackwell Science Ltd

750 Dreams, images and emotions associated with propofol anaesthesia *B. Brandner, M. Blagrove, G. McCallum and L. M. Bromley*

Apparatus

756 Ease of insertion of the laryngeal mask airway by inexperienced personnel when using an introducer *J. Dingley, P. Baynham, M. Swart and R. S. Vaughan*

761 Nerve stimulators for nerve location – are they all the same? A study of stimulator performance *C. N. Barthram*

765 A cuff inflator for tracheal tubes *M. O. Abdelatti and B. S. K. Kamath*

Review article

770 Nausea and vomiting in the postoperative patient-controlled analgesia environment *A. Woodhouse and L. E. Mather*

Case reports

776 Airway obstruction following internal jugular vein cannulation *J. S. W. Kua and I. K. S. Tan*

780 Dental mirror for difficult nasotracheal intubation *I. Matot, I. Hevron and R. Katzenelson*

782 Intravenous magnesium sulphate in the management of refractory bronchospasm in a ventilated asthmatic *R. Mills, M. Leadbeater and A. Ravalia*

Forum

786 A comparison of the nasal mask and the nasopharyngeal airway in paediatric chair dental anaesthesia *O. N. T. Bagshaw, R. Southee and K. Ruiz*

790 The cardiovascular responses to double lumen endobronchial intubation and the effect of esmolol *J. P. Thompson, K. J. West and A. J. Hill*

794 Intra-ocular pressure changes following laryngeal mask airway insertion: a comparative study *A. M. Whitford, S. W. Hone, B. O'Hare, J. Magner and P. Eustace*

797 **Correspondence**

812 **Book reviews**

815 **Annual report of Council**

Number 9, September 1997

Editorial

831 Anaesthetic pre-registration house officers *J. Norman*

Main articles

833 A comparison of the infusion pharmacokinetics and pharmacodynamics of cisatracurium, the 1R-*cis* 1′R-*cis* isomer of atracurium, with atracurium besylate in healthy patients *C. E. Smith, M. M. van Miert, C. J. R. Parker and J. M. Hunter*

842 A comparison of intercuff and single cuff techniques of intravenous regional anaesthesia using 0.5% prilocaine mixed with technetium 99m-labelled BRIDA *J. E. Risdall, P. C. Young, D. A. Jones and D. A. Hett*

849 Effect of nebulised lignocaine on the quality of induction of anaesthesia in cigarette smokers *R. Caranza, J. H. Raphael, N. Nandwani and J. A. Langton*

853 Addition of adrenaline to pethidine for epidural analgesia after Caesarean section *W. D. Ngan Kee, M. L. Ma and K. S. Khaw*

858 The addition of opioids to local anaesthetics in brachial plexus block: the comparative effects of morphine, buprenorphine and sufentanil *J. E. Bazin, C. Massoni, P. Bruelle, V. Fenies, D. Groslier and P. Schoeffler*

863 The anti-emetic efficacy of a combination of ondansetron and droperidol *M. Koivuranta, R. Jokela, K. Kiviluoma and S. Alahuhta*

Apparatus

869 A new hinged tip laryngoscope *S. W. Benham and L. Gale*

872 Additional inspiratory resistance imposed by the laryngeal mask airway: *in vitro* versus *in vivo* comparison *E. R. Righini, E. Marangoni, C. A. Volta, R. Alvisi, S. Bortolazzi and G. Gritti*

Review article

879 Peri-operative stroke in general surgical patients *P. C. A. Kam and R. M. Calcroft*

Case reports

884 Cardiac rupture during electroconvulsive therapy *P. B. Ali and M. D. Tidmarsh*

886 Epidural dextran 40 patch for postdural puncture headache *M. E. J. Reynvoet, P. A. J. M. Cosaert, M. F. R. Desmet and S. M. Plasschaert*

889 Subarachnoid block for a case of multiple system atrophy *C. McBeth and K. Murrin*

892 Fatal hepatic necrosis after isoflurane anaesthesia *J. Weitz, P. Kienle, H. Böhrer, W. Hofmann, L. Theilmann and G. Otto*

Forum

896 The effect of cricoid pressure and neck support on the view at laryngoscopy *R. G. Vanner, P. Clarke, W. J. Moore and S. Raftery*

901 A survey of how British obstetric anaesthetists test regional anaesthesia before Caesarean section *T. M. Bourne, A. E. deMelo, B. A. Bastianpillai and A. E. May*

© 1997 Blackwell Science Ltd

904 Taking a 'drugs' history *G. Hocking and W. F. deMello*
906 Experience with the McCoy laryngoscope in difficult laryngoscopy *D. G. Chisholm and I. Calder*
908 Prevention of hypotension during spinal anaesthesia for Caesarean section: ephedrine infusion versus fluid preload *W. S. Chan, M. G. Irwin, W. N. Tong and Y. H. Lam*

914 **Correspondence**

Number 10, October 1997

Editorial
931 Females and their variability *A. Holdcroft*

Main articles
935 The need for basic sciences in the understanding and practice of anaesthesia *R. M. Burnstein, R. D. Jeevaratnam and J. G. Jones*
945 The effect of propofol on midazolam metabolism in human liver microsome suspension *B. P. Leung, E. Miller and G. R. Park*
949 The influence of age upon opioid analgesic use in the patient-controlled analgesia (PCA) environment *A. Woodhouse and L. E. Mather*
956 Magnesium sulphate for control of spasms in severe tetanus. Can we avoid sedation and artificial ventilation? *D. Attygalle and N. Rodrigo*
963 Postoperative symptoms at home following day-case surgery in children: a multicentre survey of 551 children *L. H. Kotiniemi, P. T. Ryhänen, J. Valanne, R. Jokela, A. Mustonen and E. Poukkula*
970 Behavioural changes in children following day-case surgery: a 4-week follow-up of 551 children *L. H. Kotiniemi, P. T. Ryhänen and I. K. Moilanen*

Apparatus
977 Damage to the laryngeal mask by residual fluid in the cuff *T. Asai, K. Koga and S. Morris*

Review article
982 Selective serotonin reuptake inhibitors. Pharmacology and clinical implications in anaesthesia and critical care medicine *P. C. A. Kam and G. W. M. Chang*

Case reports
989 Acute superior vena caval syndrome with airway obstruction following elective mediastinoscopy *C. K. Power, D. Buggy and J. Keogh*
992 Mechanical obstruction in the anaesthesia delivery system mimicking severe bronchospasm *D. Aarhus, E. Søreide and H. Holst-Larsen*
994 Halothane treatment of severe asthma to avoid mechanical ventilation *A. J. Padkin, G. Baigel and G. A. Morgan*

Forum
998 Intubating conditions using cisatracurium after induction of anaesthesia with thiopentone *J. M. Rimaniol, Y. Kersuzan and P. Duvaldestin*
1000 The effect of co-induction with midazolam upon recovery from propofol infusion anaesthesia *K. E. Tighe and J. A. Warner*
1005 A comparative multicentre trial of spinal needles for Caesarean section *J. M. Hopkinson, A. K. Samaan, I. F. Russell, R. J. S. Birks and M. R. Patrick*
1011 The effect of a toothguard on the difficulty of intubation *C. Brosnan and P. Radford*

1015 **Correspondence**

1026 **Deaths of members reported to Council**

Number 11, November 1997

Editorial
1027 Multiple trauma and massive transfusion *P. J. Horsey*

Main articles
1030 Auditory evoked potential index: a quantitative measure of changes in auditory evoked potentials during general anaesthesia *H. Mantzaridis and G. N. C. Kenny*
1037 Staff stress on the intensive care unit: a comparison of doctors and nurses *A. Goodfellow, R. Varnam, D. Rees and M. P. Shelly*
1042 An audit of the safety of an acute pain service *S. L. Tsui, M. G. Irwin, C. M. L. Wong, S. K. Y. Fung, T. W. C. Hui, K. F. J. Ng, W. S. Chan and A. M. O'Reagan*
1048 Effects of cardiopulmonary bypass and hypothermia on electroencephalographic variables *M. Doi, R. J. Gajraj, H. Mantzaridis and G. N. C. Kenny*
1056 Minimum alveolar concentration for halothane in children with cerebral palsy and severe mental retardation *F. J. Frei, M. H. Haemmerle, R. Brunner and C. Kern*
1061 *In vitro* evaluation of the effect of profound haemodilution with hydroxyethyl starch 6%, modified fluid gelatin 4% and dextran 40 10% on coagulation profile measured by thromboelastography *E. Mortier, M. Ongenae, L. De Baerdemaeker, L. Herregods, N. Den Blauwen, J. Van Aken and G. Rolly*
1065 Serum electrolyte and blood gas changes after intrathecal and intravenous bolus injections of magnesium sulphate. An experimental study in a rat model *M. Bahar, M. L. Cohen, Y. Grinshpun, R. Datski, J. Kaufman, J. L. Zaidman, H. Nissenbaum and M. Chanimov*

© 1997 Blackwell Science Ltd

Apparatus

1070 An inexpensive, self-assembly pressure algometer *T. W. Johnson and P. J. Watson*

1073 Convection warmers – not just hot air *M. S. Avidan, N. Jones, R. Ing, M. Khoosal, C. Lundgren and D. F. Morrell*

Special communication

1077 Anaesthetic pollution. Potential sources, their identification and control *J. P. Barker and M. O. Abdelatti*

Case reports

1084 Cervical osteomyelitis following tonsillectomy *A. M. Cyna, K. R. Bell and L. M. Flood*

1087 Management of severe tracheal obstruction with helium/oxygen and a laryngeal mask airway *Q. J. W. Milner, S. Abdy and J. G. Allen*

Forum

1090 Thoracic epidural anaesthesia for coronary artery bypass graft surgery. Effects on postoperative complications *D. J. Turfey, D. A. A. Ray, N. P. Sutcliffe, P. Ramayya, G. N. C. Kenny and N. B. Scott*

1095 Comparison of nalbuphine and buprenorphine in total intravenous anaesthesia *F. A. Khan, A. Zaidi and R. S. Kamal*

1101 Analgesic and respiratory effect of nalbuphine and pethidine for adenotonsillectomy in children with obstructive sleep disorder *W. Habre and B. McLeod*

1106 The site of airway irritation during induction of anaesthesia *A. K. Dashfield, S. E. Bree, A. M. Weiss and J. A. Langton*

1110 Comparison of caudal block using bupivacaine and ketamine with ilioinguinal nerve block for orchidopexy in children *D. Findlow, L. M. Aldridge and E. Doyle*

1114 **Correspondence**

1124 **Book reviews**

Number 12, December 1997

Editorial

1127 Coronary artery surgery without cardiopulmonary bypass *G. J. Raine and D. A. Ziderman*

Main articles

1130 Outcome of intensive care in the elderly *G. Djaiani and S. Ridley*

1137 Reliability of the next of kins' estimates of critically ill patients' quality of life *J. Rogers, S. Ridley, P. Chrispin, H. Scotton and D. Lloyd*

1144 The safety of patient-controlled sedation *S. J. Thorpe, V. R. Balakrishnan and L. B. Cook*

1151 The influence of epidural administration of fentanyl infusion on gastric emptying in labour *J. S. Porter, E. Bonello and F. Reynolds*

1157 Home-readiness after spinal anaesthesia with small doses of hyperbaric 0.5% bupivacaine *P. Tarkilla, J. Huhtala and M. Tuominen*

1161 The effect of position on autonomic nervous activity during late pregnancy *C.-D. Kuo, G.-Y. Chen, M.-J. Yang and Y.-S. Tsai*

1166 Plasma volume estimation using indocyanine green with biexponential regression analysis of the decay curves *M. Sekimoto, M. Fukui and K. Fujita*

1173 Event-related evoked potential responses (P_{300}) following epidural methylprednisolone therapy in chronic low back pain patients *O. P. Tandon, A. Kumar, D. Dhar and A. Battacharya*

1177 Compliance in administration of prescribed analgesics *C. Boer, A. N. Treebus, W. W. A. Zuurmond and J. J. de Lange*

Apparatus

1182 Rebreathing in the Mapleson A, C, and D breathing systems with sinusoidal and exponential flow waveforms *L. B. Cook*

1195 Oxygen enrichment during emergence with the laryngeal mask – the 'T bag' versus the T-piece *J. Martin and J. R. Brimacombe*

1199 A laboratory comparison of two techniques of emergency percutaneous tracheostomy *H. A. McLure, D. P. Doh, M. M. Mannan and N. Soni*

Historical note

1202 The first structure–function approach to drug design in anaesthesia. Dr David S. Savage and pancuronium bromide *D. L. Brown and J. G. Brock-Utne*

Case reports

1205 Sciatic nerve palsy following uneventful sciatic nerve block *S. M. Bonner and A. K. Pridie*

1207 Bilobar atelectasis after difficult tracheal intubation *J. Sprung, L. J. Lozada, G. Zanettin and M. Banoub*

Forum

1212 The effect of pre-operative administration of bupivacaine compared with its postoperative use *W. I. Campbell, R. W. Kendrick, P. Ramsay-Baggs and W. McCaughey*

1216 A comparison of 2% and 1% formulations of propofol for the induction and maintenance of anaesthesia in surgery of moderate duration *F. S. Servin, J. M. Desmonts, C. Melloni and G. Martinelli*

© 1997 Blackwell Science Ltd

1221 Incidence of intra-operative bradycardia. Comparison of atracurium and vecuronium in gynaecological surgery *H. Hameedullah and F. A. Khan*

1224 A comparison of the effects of tramadol and morphine on gastric emptying in humans *D. B. Murphy, A. Sutton, L. F. Prescott and M. B. Murphy*

1230 **Correspondence**

1240 **Hazard notice**

1241 **Author index**

1255 **Keyword index**

© 1997 Blackwell Science Ltd